PRINTED: 11/09/2010 FORM APPROVED OMB NO. 0938-0391

	OF DEFICIENCIES CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` '	TIPLE CONSTRUCTION (X3) DATE SURVEY COMPLETED		
		410010	A. BUILE B. WING		44/	C
	OVIDER OR SUPPLIER	l		STREET ADDRESS, CITY, STATE, ZIP CO 101 DUDLEY STREET PROVIDENCE, RI 02905	•	01/2010
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)		(EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (EACH CORRECTIVE ACTION		TION SHOULD BE THE APPROPRIATE	(X5) COMPLETION DATE
A 000	INITIAL COMMENTS	3	A 0	00		
A 951	Conditions of Particip Medical Staff & Surgic complaint investigation licensure survey were rederal and state deta 482.51(b) OPERATING Surgical services must be designed to maintenance of high practice and patient of the Third STANDARD is Based on a review of interviews, and review determined that the recompliance with the policies entitled "Catheter" and "Report Communication)", for 3. Findings are as follows "Surgical Counts", see "Surgical Counts", se	st be consistent with needs sies governing surgical care assure the achievement and standards of medical care. Inot met as evidenced by: I medical records, staff or of hospital policies, it was nospital failed to ensure policy entitled, "Surgical sample patient ID #2; and, Tamponade Balloon of the relevant sample patient ID #2. I sapital policy entitled, "Surgical sample patient ID #2.	A 9	51		
	Counts", states: Under item #2, "Obta Under item #3, "Doc X-ray in the medical i	ument physician review of				
	revealed the patient unhysterectomy, bilater	cal record for patient ID #2 underwent a "Robot assisted al salpingo-oophorectomy,				
ABORATORY	DIRECTOR'S OR PROVIDERA	SUPPLIER REPRESENTATIVE'S SIGNATURE		TITLE		(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

(X6) DATE

Any deficiency statement ending with an asterisk (*) denotes a deficiency which the institution may be excused from correcting providing it is determined that other safeguards provide sufficient protection to the patients. (See instructions.) Except for nursing homes, the findings stated above are disclosable 90 days following the date of survey whether or not a plan of correction is provided. For nursing homes, the above findings and plans of correction are disclosable 14 days following the date these documents are made available to the facility. If deficiencies are cited, an approved plan of correction is requisite to continued program participation.

	OF DEFICIENCIES F CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MU A. BUIL		CONSTRUCTION	(X3) DATE SUF COMPLETI	
		410010	B. WING				C 1/2010
	ROVIDER OR SUPPLIER	OF RHODE ISLAND		101 D	ADDRESS, CITY, STATE, ZIP CODE DUDLEY STREET VIDENCE, RI 02905		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREFI TAG	×	PROVIDER'S PLAN OF CORRECTI (EACH CORRECTIVE ACTION SHOUI CROSS-REFERENCED TO THE APPRO DEFICIENCY)	LD BE	(X5) COMPLETION DATE
A 951	submitted by the Circ revealed that during to Technician noted that resulting in a missing Surgeon was notified determined that this retained in the patien to find and remove it." The patient was seen of the wound site. Wowas a concern for cell abdomen was perforr revealed a 4.8 x 1 cm of the anterior wall su with a foreign body now wall and into the perit returned to the Operation wound exploration. A 10/6/10 revealed "mu blue-red pieces ranging x 12.5 cm". During an interview would will also the Surgeon retrieved the initial surgery on a measured against an and "appeared to be surgical team "felt corradiopaque string had been retried buring an interview of the Surgeon, it was retried to the Surgeon in the Surgeon to the Surgeon, it was retried to the Surgeon to the Surgeon to the Surgeon, it was retried to the Surgeon to	eriaortic lymph node 0. An Occurrence Report ulating Nurse dated 8/25/10 he procedure, the Scrub t a "sponge had separated", blue radiopaque string. The , and with visual inspection adiopaque string had been t's abdomen, and "was able . on 9/13/10 for an irritation hen this persisted and there llulitis, a CT scan of the med on 9/27/10 and on (centimeter) fluid collection aperficial to the peritoneum, beted extending through the stoneal space. The patient ating Room on 10/5/10 for a on Pathology Report dated altiple fragments of light ong in measurement from 1.7 with the Scrub Technician on one of the radiopaque string with 8/25/10, it had been other similar sponge string, the same in size". The onfident that all the dibeen removed", therefore uested to confirm that the	AS	951			

	OF DEFICIENCIES CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	` ′	PLE CONSTRUCTION	(X3) DATE SU COMPLET	
			A. BUILDIN			С
		410010	B. WING _		11/0	1/2010
	ROVIDER OR SUPPLIER	AL OF RHODE ISLAND		REET ADDRESS, CITY, STATE, ZIP CODE 101 DUDLEY STREET PROVIDENCE, RI 02905		
(X4) ID PREFIX TAG	(EACH DEFICIE	STATEMENT OF DEFICIENCIES NCY MUST BE PRECEDED BY FULL OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CO (EACH CORRECTIVE ACTION CROSS-REFERENCED TO THE DEFICIENCY)	N SHOULD BE E APPROPRIATE	(X5) COMPLETION DATE
A 951	visualization of the made aware by the radiopaque string for the procedure was utilized and "this look the procedure was utilized and "this look the procedure" sweethe string had beer stated, that at that had gotten it all." A determined that "and the Risk Manager, been no other occus ponge strings. The changed the spong trays, and notified put an action plant is any question in responge will be unprocedure, an X-raction confirm the sponges will be unprocedure." Although the sponghospital failed to enthe radiopaque string obtaining an X-ray. 2. A review of the "Tamponade Ballostates: "In the event of a page of the sponge of the sponge obtaining an X-ray."	y bleeding" in order to provide site. When the Surgeon was a Scrub Technician that a blue from a sponge utilized during missing, a laparoscope was ng blue string was visualized". In the Surgeon then proceeded ep" visualization to be sure all a removed. The Surgeon point, "I had no doubt that I With the string retrieved, it was an X-ray was not needed". You on 10/25/10 at 10:00 AM with it was reported that there has urrences regarding missing the hospital immediately ges used in the pelviscopy the manufacturer. They also in place that included "if there regards to a product the product of the produc	A 95 ²			

A. BUILDING B. WING NAME OF PROVIDER OR SUPPLIER WOMEN AND INFANTS HOSPITAL OF RHODE ISLAND A. BUILDING B. WING STREET ADDRESS, CITY, STATE, ZIP CODE 101 DUDLEY STREET PROVIDENCE PL 02905	STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	[` ′		CONSTRUCTION	(X3) DATE SURVEY COMPLETED	
NAME OF PROVIDER OR SUPPLIER WOMEN AND INFANTS HOSPITAL OF RHODE ISLAND STREET ADDRESS, CITY, STATE, ZIP CODE 101 DUDLEY STREET				A. BUIL	.DING			C
NAME OF PROVIDER OR SUPPLIER WOMEN AND INFANTS HOSPITAL OF RHODE ISLAND STREET ADDRESS, CITY, STATE, ZIP CODE 101 DUDLEY STREET			410010	B. WIN	G			
PROVIDENCE, RI 02303			L OF RHODE ISLAND	•	101			
PREFIX (EACH DEFICIENCY MUST BE PRECEDED BY FULL PREFIX (EACH CORRECTIVE ACTION SHOULD BE COMP	PREFIX	(EACH DEFICIENC	Y MUST BE PRECEDED BY FULL	PREFI		(EACH CORRECTIVE ACTION SHOWN CROSS-REFERENCED TO THE APPR	JLD BE	(X5) COMPLETION DATE
A 951 Continued From page 3 tamponade balloon catheter into the uterus in an effort to achieve hemostasis". Under "Procedure: Assisting with Vaginal Placement of the Tamponade Balloon Catheter", it states, under item # 11: "The vaginal canal may be packed with vaginal sponges if desired by providerCount the sponges prior to insertion and document in electronic record". Under "Assisting with Removal of Tamponade Balloon Catheter", it states: Under item #1: "Removal of the balloon catheter is performed by the physician within 24 hours of placement"; and, Under bullet #2: "Remove and count vaginal sponges if placed (obtain X-ray if sponge count is not correct)." A review of the hospital policy entitled, "Report (Hand Off Communication)", under "Purpose", states: "To assure that adequate information is communicated to caregivers". Under "Policy", item #1 states: "A caregiver to caregiver report (hand off communication) is given when a patient's care is transferred from one caregiver to another" Under Item #3, it states: "The report includes but is not limited toAssessment equipment". A review of the medical record for patient ID # 3		tamponade balloon ca effort to achieve hem. Under "Procedure: As Placement of the Tan it states, under item # "The vaginal canal mand sponges if desired by sponges prior to insert electronic record". Under "Assisting with Balloon Catheter", it so under item #1: "Remais performed by the perfo	astheter into the uterus in an lostasis". ssisting with Vaginal mponade Balloon Catheter", # 11: lay be packed with vaginal providerCount the artion and document in Removal of Tamponade states: loval of the balloon catheter physician within 24 hours of move and count vaginal phain X-ray if sponge count is stall policy entitled, "Report cation)", under "Purpose", uate information is regivers". #1 states: "A caregiver to d off communication) is 's care is transferred from ther" tes: "The report includes but sessment equipment".	As	951			

	T OF DEFICIENCIES OF CORRECTION (X1) PROVIDER/SUPPLIER/CLIA (X2) MULTIPLE CONSTRUCTION (X3) DATE SURVE COMPLETED A. BUILDING					
						С
		410010	B. WING		11	/01/2010
	ROVIDER OR SUPPLIER	TAL OF RHODE ISLAND		STREET ADDRESS, CITY, STATE, ZIP COI 101 DUDLEY STREET PROVIDENCE, RI 02905	DE	
(X4) ID PREFIX TAG	(EACH DEFICIE	STATEMENT OF DEFICIENCIES NCY MUST BE PRECEDED BY FULL DR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF (EACH CORRECTIVE ACTI CROSS-REFERENCED TO T DEFICIENC	ION SHOULD BE HE APPROPRIATE	(X5) COMPLETION DATE
A 951	in a viable female was noted with pos administration of P Hemabate. A deci (tamponade) balloo Surgical document done under ultrasc balloon was guided fundus of the uteru as a second providup to 300 ml (millill Kerlix was placed Balloon in place." nursing revealed the deflated by two res 7/25/10, a nurse's out". During an interview the Risk Manager, presented to the clof a foul vaginal or examination, the K removed from the placed on prophyla During an interview 10/26/10 at 12:35 the Bakri Balloon hobstetrical team communicated that place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the Bak sponge not being in the place with the place with the Bak sponge not being in the place with the pl	neous vaginal delivery resulting infant on 7/24/10. The patient stpartum bleeding despite vitocin, Misoprostol, and sion was made to place a Bakri on to control bleeding. Lation revealed that this was bund guidance and "A Bakri duntil the tip reached the las, and then it was held in place der inflated the balloon with fluid sters). After this, one roll of into the vagina to hold the Bakri Further documentation by that the balloon was slowly sidents. At 10:00 PM on note revealed, "Bakri balloon word on 10/25/10 at 9:50 AM with it was reported that this patient inic on 9/28/10 for complaints for. During physician serlix roll was discovered and waginal cavity. The patient was	A 9	51		

	OF DEFICIENCIES F CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MU A. BUILI	LTIPLE CONSTRUCTION	(X3) DATE S COMPLI	
		410010	B. WING		 - ₁₁	C / 01/2010
	ROVIDER OR SUPPLIER	. OF RHODE ISLAND		STREET ADDRESS, CITY, STATE, 101 DUDLEY STREET PROVIDENCE, RI 02905	•	<u>-</u>
(X4) ID PREFIX TAG	(EACH DEFICIENC)	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL .SC IDENTIFYING INFORMATION)	ID PREFIX TAG	((EACH CORRECTI CROSS-REFERENCI	LAN OF CORRECTION IVE ACTION SHOULD BE ED TO THE APPROPRIATE FICIENCY)	(X5) COMPLETION DATE
A 951	with the Bakri balloon sponge use is depend prevents the balloon of the was reported that it sponge to fall out when the Chief of Obstetric balloon has been utility years at the hospital, occurrences. The hoapproximately 25 times Staff and Residents on November of 2009, with management of postsy blood loss estimates the Bakri balloon with During the interview with reported that the hospital place to standardize a placement, care and that includes clear do sponges. In addition, communication hands planned. It was determined the ensure compliance with procedure relative to sponges when this balloon it is to sponges when this balloon and standard of the policy and standard of the policy and standard of the procedure relative to sponges when this ballopolicy and standard of the policy and standard of the procedure relative to sponges when this ballopolicy and standard of the policy and standard of the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when the procedure relative to sponges when this ballopolicy and standard of the procedure relative to sponges when the procedure relative to sp	all providers utilize sponges procedure. The Kerlix dent on cervical dilation, and from falling out as needed. is not unusual for the en the balloon comes out. In 10/27/10 at 10:30 AM with s, it was reported that this zed for approximately 2 with no previous spital utilizes this balloon es per year. The Medical lid attend a simulation in thich included the partum hemorrhage and at delivery, and the use of a Power Point presentation. With the Risk Manager, it was bital has an action plan in a documentation form for removal of the Bakri balloon cumentation of use of standardization of off between residents is also at the hospital failed to ith the Bakri balloon the counting of vaginal alloon is removed. The Kerlix Manager is the spital failed to ith the Bakri balloon the counting of vaginal alloon is removed. The documentation form for removal of the bakri balloon the counting of vaginal alloon is removed. The documentation of the practice related to the counting of vaginal alloon is removed.	AS			

	OF DEFICIENCIES CORRECTION	(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MU A. BUIL		LE CONSTRUCTION	(X3) DATE SUI COMPLET	
		410010	B. WIN	G			C 1/2010
	OVIDER OR SUPPLIER	AL OF RHODE ISLAND		10	EET ADDRESS, CITY, STATE, ZIP CODE 1 DUDLEY STREET ROVIDENCE, RI 02905		
(X4) ID PREFIX TAG	(EACH DEFICIEN	TATEMENT OF DEFICIENCIES CY MUST BE PRECEDED BY FULL R LSC IDENTIFYING INFORMATION)	ID PREFI TAG		PROVIDER'S PLAN OF CORRECTI (EACH CORRECTIVE ACTION SHOUI CROSS-REFERENCED TO THE APPRO DEFICIENCY)	_D BE	(X5) COMPLETION DATE
A 955	the operation must I surgery, except in e This STANDARD is Based on record review of the hospit. Consent", it was defailed to properly exconsent, including the obtained, for 5 of 8 lfs 10, 11, 12, 13 ar Findings are as follows. A review of the hospit Consent", states, ur "The exact date and obtained must be in the search of the mental of the menta	informed consent form for the in the patient's chart before mergencies. In not met as evidenced by: view, staff interview, and all policy entitled, "Informed that the hospital ecute the surgical informed that consent was relevant sample patients (ID and 15). In the patient's chart before mergencies.	A	955			

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:	(X2) MULTIPLE CONSTRUCTION A. BUILDING			(X3) DATE SURVEY COMPLETED	
		410010	B. WIN				C 1/ 2010
	ROVIDER OR SUPPLIER	L OF RHODE ISLAND	•	101	ET ADDRESS, CITY, STATE, ZIP CODE I DUDLEY STREET OVIDENCE, RI 02905		
(X4) ID PREFIX TAG	(EACH DEFICIENC	ATEMENT OF DEFICIENCIES Y MUST BE PRECEDED BY FULL LSC IDENTIFYING INFORMATION)	ID PREF TAG		PROVIDER'S PLAN OF CORRECT (EACH CORRECTIVE ACTION SHOU CROSS-REFERENCED TO THE APPRO DEFICIENCY)	LD BE	(X5) COMPLETION DATE
A 955	the hospital policy. During an interview of 1:30 PM with the both Surgical Services and were unable to provide consents were obtain	on 10/29/10 at approximately the Nurse Manager of dethe Risk Manager, both de evidence that the time that ned had been documented in the in accordance with	A	955			